

- 1) Habtemariam, S., Lentini, G.  
Plant-derived anticancer agents: Lessons from the pharmacology of geniposide and its aglycone, genipin  
(2018) *Biomedicines*, 6 (2), art. no. 39, . Cited 5 times.  
DOI: 10.3390/biomedicines6020039  
DOCUMENT TYPE: Review  
ACCESS TYPE: Open Access
- 2) Caputo, L., Quintieri, L., Cavalluzzi, M.M., Lentini, G., Habtemariam, S.  
Antimicrobial and antibiofilm activities of citrus water-extracts obtained by microwave-assisted and conventional methods  
(2018) *Biomedicines*, 6 (2), art. no. 70, . Cited 1 time.  
DOI: 10.3390/biomedicines6020070  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 3) Gualdani, R., Cavalluzzi, M.M., Tadini-Buoninsegni, F., Convertino, M., Gailly, P., Stary-Weinzinger, A., Lentini, G.  
Molecular Insights into hERG Potassium Channel Blockade by Lubeluzole  
(2018) *Cellular Physiology and Biochemistry*, 45 (6), pp. 2233-2245.  
DOI: 10.1159/000488169  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 4) De Bellis, M., Sanarica, F., Carocci, A., Lentini, G., Pierno, S., Rolland, J.-F., Camerino, D.C., De Luca, A.  
Dual action of mexiletine and its pyrroline derivatives as skeletal muscle sodium channel blockers and anti-oxidant compounds: Toward novel therapeutic potential  
(2018) *Frontiers in Pharmacology*, 8 (JAN), art. no. 907, .  
DOI: 10.3389/fphar.2017.00907  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 5) Carocci, A., Corbo, F., Lentini, G., Cavalluzzi, M.M., Franchini, C., Catalano, A.  
A Focus on the Synthesis and Pharmacokinetics of Tocainide and its Analogues  
(2018) *Current medicinal chemistry*, 25 (42), pp. 5822-5834.  
DOI: 10.2174/0929867325666180327104320  
DOCUMENT TYPE: Review
- 6) Carrozzini, B., Belviso, B.D., Bruno, C., Cavalluzzi, M.M., Lovece, A., Lentini, G., Caliandro, R.  
The Crystal Structure of *N*-[(2*E*)-3-(4-Chlorophenyl)prop-2-en-1-yl]-4-methoxy-*N*-methylbenzenesulfonamide  
(2018) *Journal of Chemical Crystallography*, . Article in Press.  
DOI: 10.1007/s10870-018-0739-x  
DOCUMENT TYPE: Article in Press
- 7) Oliveri, V., Bentivegna, F., Caputo, L., Quintieri, L., Viale, M., Maric, I., Lentini, G., Vecchio, G.  
Positional isomers of mannose-quinoline conjugates and their copper complexes: Exploring the biological activity  
(2018) *New Journal of Chemistry*, 42 (11), pp. 8882-8890.  
DOI: 10.1039/c8nj00993g  
DOCUMENT TYPE: Article

- 8) Cavalluzzi, M.M., Mangiatordi, G.F., Nicolotti, O., Lentini, G.  
Ligand efficiency metrics in drug discovery: the pros and cons from a practical perspective  
(2017) *Expert Opinion on Drug Discovery*, 12 (11), pp. 1087-1104. Cited 13 times.  
DOI: 10.1080/17460441.2017.1365056  
DOCUMENT TYPE: Review
- 9) Gualdani, R., Cavalluzzi, M.M., Tadini-Buoninsegni, F., Lentini, G.  
Discovery of a new mexiletine-derived agonist of the hERG K<sup>+</sup> channel  
(2017) *Biophysical Chemistry*, 229, pp. 62-67. Cited 1 time.  
DOI: 10.1016/j.bpc.2017.06.005  
DOCUMENT TYPE: Article
- 10) Viale, M., Giglio, V., Monticone, M., Maric, I., Lentini, G., Rocco, M., Vecchio, G.  
New doxorubicin nanocarriers based on cyclodextrins  
(2017) *Investigational New Drugs*, 35 (5), pp. 539-544. Cited 5 times.  
DOI: 10.1007/s10637-017-0461-0  
DOCUMENT TYPE: Article
- 11) Tavani, C., Bianchi, L., De Palma, A., Passeri, G.I., Punzi, G., Pierri, C.L., Lovece, A., Cavalluzzi, M.M., Franchini, C., Lentini, G., Petrillo, G.  
Nitro-substituted tetrahydroindolizines and homologs: Design, kinetics, and mechanism of  $\alpha$ -glucosidase inhibition  
(2017) *Bioorganic and Medicinal Chemistry Letters*, 27 (17), pp. 3980-3986. Cited 4 times.  
DOI: 10.1016/j.bmcl.2017.07.068  
DOCUMENT TYPE: Article
- 12) Mercurio, A., Adriani, G., Catalano, A., Carocci, A., Rao, L., Lentini, G., Cavalluzzi, M.M., Franchini, C., Vacca, A., Corbo, F.  
A mini-review on thalidomide: Chemistry, mechanisms of action, therapeutic potential and anti-angiogenic properties in multiple myeloma  
(2017) *Current Medicinal Chemistry*, 24 (25), pp. 2736-2744. Cited 3 times.  
DOI: 10.2174/0929867324666170601074646  
DOCUMENT TYPE: Review
- 13) Lentini, G., Habtemariam, S.  
The trivial names of citrus limonoids  
(2017) *Food Chemistry*, 225, p. 288.  
DOI: 10.1016/j.foodchem.2017.01.101  
DOCUMENT TYPE: Letter
- 14) Iacopetta, D., Carocci, A., Sinicropi, M.S., Catalano, A., Lentini, G., Ceramella, J., Curcio, R., Caroleo, M.C.  
Old drug scaffold, new activity: Thalidomide-correlated compounds exert different effects on breast cancer cell growth and progression  
(2017) *ChemMedChem*, 12 (5), pp. 381-389. Cited 11 times.  
DOI: 10.1002/cmde.201600629  
DOCUMENT TYPE: Article

15) Degennaro, L., Zenzola, M., Laurino, A., Cavalluzzi, M.M., Franchini, C., Habtemariam, S., Matucci, R., Luisi, R., Lentini, G.

2-Arylazetidines as ligands for nicotinic acetylcholine receptors

(2017) *Chemistry of Heterocyclic Compounds*, 53 (3), pp. 329-334. Cited 1 time.

DOI: 10.1007/s10593-017-2061-5

DOCUMENT TYPE: Article

16) Roselli, M., Cavalluzzi, M.M., Bruno, C., Lovece, A., Carocci, A., Franchini, C., Habtemariam, S., Lentini, G.

Synthesis and evaluation of berberine derivatives and analogs as potential antiacetylcholinesterase and antioxidant agents

(2016) *Phytochemistry Letters*, 18, pp. 150-156. Cited 2 times.

DOI: 10.1016/j.phytol.2016.10.005

DOCUMENT TYPE: Article

17) Gualdani, R., Cavalluzzi, M.M., Lentini, G., Habtemariam, S.

The chemistry and pharmacology of citrus limonoids

(2016) *Molecules*, 21 (11), art. no. 1530, . Cited 16 times.

DOI: 10.3390/molecules21111530

DOCUMENT TYPE: Review

ACCESS TYPE: Open Access

18) Roselli, M., Carocci, A., Budriesi, R., Micucci, M., Toma, M., Di Cesare Mannelli, L., Lovece, A., Catalano, A., Cavalluzzi, M.M., Bruno, C., De Palma, A., Contino, M., Perrone, M.G., Colabufo, N.A., Chiarini, A., Franchini, C., Ghelardini, C., Habtemariam, S., Lentini, G.

Synthesis, antiarrhythmic activity, and toxicological evaluation of mexiletine analogues

(2016) *European Journal of Medicinal Chemistry*, 121, pp. 300-307. Cited 3 times.

DOI: 10.1016/j.ejmech.2016.05.046

DOCUMENT TYPE: Article

19) Gualdani, R., Cavalluzzi, M.M., Lentini, G.

Recent trends in the discovery of small molecule blockers of sodium channels

(2016) *Current Medicinal Chemistry*, 23 (22), pp. 2289-2332. Cited 5 times.

DOI: 10.2174/0929867323666160517121458

DOCUMENT TYPE: Review

20) Bruno, C., Cavalluzzi, M.M., Rusciano, M.R., Lovece, A., Carrieri, A., Pracella, R., Giannuzzi, G., Polimeno, L., Viale, M., Illario, M., Franchini, C., Lentini, G.

The chemosensitizing agent lubeluzole binds calmodulin and inhibits Ca<sup>2+</sup>/calmodulin-dependent kinase II

(2016) *European Journal of Medicinal Chemistry*, 116, pp. 36-45. Cited 4 times.

DOI: 10.1186/1471-2105-10-168

ACCESS TYPE: Open Access

21) Carocci, A., Catalano, A., Turi, F., Lovece, A., Cavalluzzi, M.M., Bruno, C., Colabufo, N.A., Contino, M., Perrone, M.G., Franchini, C., Lentini, G.

Stereoselective Modulation of P-Glycoprotein by Chiral Small Molecules

(2016) *ChemMedChem*, 11 (1), pp. 93-101. Cited 3 times.

DOI: 10.1002/cmdc.201500417

DOCUMENT TYPE: Article

- 22) Roselli, M., Lovece, A., Bruno, C., Cavalluzzi, M.M., Laghezza, A., Mercurio, A., Lentini, G., Corbo, F., La Forgia, F., Fontana, S., Habtemariam, S., Franchini, C.  
Antioxidant activity of Uva di Troia Canosina: Comparison of two extraction methods  
(2015) *Clinical Immunology, Endocrine and Metabolic Drugs*, 2 (1), pp. 8-12. Cited 3 times.  
DOCUMENT TYPE: Article
- 23) Gualdani, R., Tadini-Buoninsegni, F., Roselli, M., Defrenza, I., Contino, M., Colabufo, N.A., Lentini, G.  
Inhibition of hERG potassium channel by the antiarrhythmic agent mexiletine and its metabolite m-hydroxymexiletine  
(2015) *Pharmacology Research and Perspectives*, 3 (5), art. no. e00160, . Cited 11 times.  
DOI: 10.1002/prp2.160  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 24) Habtemariam, S., Lentini, G.  
57196216016;7004070916;  
Did ebola survivors use plant medicines, and if so, which ones?  
(2015) *Phytotherapy Research*, 29 (4), p. 632.  
DOI: 10.1002/ptr.5279  
DOCUMENT TYPE: Article
- 25) Habtemariam, S., Lentini, G.  
The therapeutic potential of rutin for diabetes: An update  
(2015) *Mini-Reviews in Medicinal Chemistry*, 15 (7), pp. 524-528. Cited 25 times.  
DOI: 10.2174/138955751507150424103721  
DOCUMENT TYPE: Article
- 26) Lentini, G., Habtemariam, S.  
Plotting intersections  
(2015) *Nature Methods*, 12 (4), p. 281.  
DOI: 10.1038/nmeth.3328  
DOCUMENT TYPE: Letter
- 27) Lentini, G., Habtemariam, S.  
Ebola therapy: Developing new drugs or repurposing old ones?  
(2015) *International Journal of Cardiology*, 179, p. 325. Cited 3 times.  
DOI: 10.1016/j.ijcard.2014.11.092  
DOCUMENT TYPE: Article
- 28) Pansini, G., Lentini, G., Potenz, D.  
The drugs used by a significant sample of families from Mottola [Dotazione familiare di farmaci e presidi sanitari nella cittadina di Mottola]  
(2015) *Giornale Italiano di Farmacia Clinica*, 29 (1), pp. 33-66.  
DOI: 10.1721/1838.20100  
DOCUMENT TYPE: Article

- 29) Carbonara, R., Carocci, A., Roussel, J., Crescenzo, G., Buonavoglia, C., Franchini, C., Lentini, G., Camerino, D.C., Desaphy, J.-F.  
Inhibition of voltage-gated sodium channels by sumatriptan bioisosteres  
(2015) *Frontiers in Pharmacology*, 6 (JUL), art. no. 155, . Cited 3 times.  
DOI: 10.3389/fphar.2015.00155  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 30) Chakrabarty, K., Defrenza, I., Denora, N., Drioli, S., Forzato, C., Franco, M., Lentini, G., Nitti, P., Pitacco, G.  
Enzymatic resolution of  $\alpha$ -methyleneparaconic acids and evaluation of their biological activity  
(2015) *Chirality*, 27 (3), pp. 239-246. Cited 1 time.  
DOI: 10.1002/chir.22419  
DOCUMENT TYPE: Article
- 31) Cavalluzzi, M.M., Lovece, A., Bruno, C., Franchini, C., Lentini, G.  
Preparation of (-)-(R)-2-(2,3,4,5,6-pentafluorophenoxy)-2-(phenyl- $d_5$ )acetic acid: An efficient  $^1\text{H}$  NMR chiral solvating agent for direct enantiomeric purity evaluation of quinoline-containing antimalarial drugs  
(2014) *Tetrahedron Asymmetry*, 25 (24), pp. 1605-1611. Cited 1 time.  
DOI: 10.1016/j.tetasy.2014.11.007  
DOCUMENT TYPE: Article
- 32) Lentini, G., Habtemariam, S.  
Microchip capillary electrophoresis-electrospray ionization mass spectrometry analysis of paracetamol metabolites in human urine: An intriguing case  
(2014) *Journal of Chromatography A*, 1327, p. 160. Cited 2 times.  
DOI: 10.1016/j.chroma.2013.12.068  
DOCUMENT TYPE: Note
- 33) Cavalluzzi, M.M., Viale, M., Bruno, C., Carocci, A., Catalano, A., Carrieri, A., Franchini, C., Lentini, G.  
A convenient synthesis of lubeluzole and its enantiomer: Evaluation as chemosensitizing agents on human ovarian adenocarcinoma and lung carcinoma cells  
(2013) *Bioorganic and Medicinal Chemistry Letters*, 23 (17), pp. 4820-4823. Cited 10 times.  
DOI: 10.1016/j.bmcl.2013.06.077  
DOCUMENT TYPE: Article
- 34) Carrieri, A., Pérez-Nueno, V.I., Lentini, G., Ritchie, D.W.  
Recent trends and future prospects in computational GPCR drug discovery: From virtual screening to polypharmacology  
(2013) *Current Topics in Medicinal Chemistry*, 13 (9), pp. 1069-1097. Cited 23 times.  
DOI: 10.2174/15680266113139990028  
DOCUMENT TYPE: Review
- 35) Lentini, G.  
The honest h index: When a research performance indicator turns into an oxymoron  
(2013) *European Science Editing*, 39 (1), p. 26. Cited 1 time.  
DOCUMENT TYPE: Article

- 36) Carocci, A., Catalano, A., Bruno, C., Lovece, A., Roselli, M.G., Cavalluzzi, M.M., De Santis, F., De Palma, A., Rusciano, M.R., Illario, M., Franchini, C., Lentini, G.  
*N*-(Phenoxyalkyl)amides as MT<sub>1</sub> and MT<sub>2</sub> ligands: Antioxidant properties and inhibition of Ca<sup>2+</sup>/CaM-dependent kinase II  
(2013) *Bioorganic and Medicinal Chemistry*, 21 (4), pp. 847-851. Cited 23 times.  
DOI: 10.1016/j.bmc.2012.12.017  
DOCUMENT TYPE: Article
- 37) Desaphy, J.-F., Carbonara, R., Costanza, T., Lentini, G., Cavalluzzi, M.M., Bruno, C., Franchini, C., Camerino, D.C.  
Molecular dissection of lubeluzole use-dependent block of voltage-gated sodium channels discloses new therapeutic potentials  
(2013) *Molecular Pharmacology*, 83 (2), pp. 406-415. Cited 11 times.  
DOI: 10.1124/mol.112.080804  
DOCUMENT TYPE: Article  
PUBLICATION STAGE: Final  
ACCESS TYPE: Open Access
- 38) De Bellis, M., De Luca, A., Desaphy, J.F., Carbonara, R., Heiny, J.A., Kennedy, A., Carocci, A., Cavalluzzi, M.M., Lentini, G., Franchini, C., Conte Camerino, D.  
Combined modifications of mexiletine pharmacophores for new lead blockers of Nav1.4 channels  
(2013) *Biophysical Journal*, 104 (2), pp. 344-354. Cited 15 times.  
DOI: 10.1016/j.bpj.2012.11.3830  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 39) Bruno, C., Cavalluzzi, M.M., Carocci, A., Catalano, A., Franchini, C., Lentini, G.  
Capillary zone electrophoresis for separation and quantitative determination of mexiletine and its main phase I metabolites  
(2013) *Drug Metabolism Letters*, 7 (1), pp. 52-57. Cited 4 times.  
DOI: 10.2174/18723128112069990011  
DOCUMENT TYPE: Article
- 40) Bruno, C., Lentini, G., Lovece, A., Cavalluzzi, M.M., Carocci, A., Catalano, A., Franchini, C.  
Microwave-assisted synthesis of (±)-mandelic acid-*d*<sub>5</sub>, optical resolution, and absolute configuration determination  
(2013) *Journal of Chemistry*, art. no. 386238, . Cited 2 times.  
DOI: 10.1155/2013/386238  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 41) Catalano, A., Budriesi, R., Bruno, C., Di Mola, A., Defrenza, I., Cavalluzzi, M.M., Micucci, M., Carocci, A., Franchini, C., Lentini, G.  
Searching for new antiarrhythmic agents: Evaluation of meta- hydroxymexiletine enantiomers  
(2013) *European Journal of Medicinal Chemistry*, 65, pp. 511-516. Cited 12 times.  
DOI: 10.1016/j.ejmech.2013.05.008  
DOCUMENT TYPE: Article

- 42) Catalano, A., Carocci, A., Lentini, G., Defrenza, I., Bruno, C., Franchini, C.  
Stereospecific synthesis of m-Hydroxymexiletine enantiomers  
(2012) Drug Metabolism Letters, 6 (3), pp. 182-186. Cited 9 times.  
DOI: 10.2174/1872312811206030005  
DOCUMENT TYPE: Article
- 43) Catalano, A., Carocci, A., Lentini, G., Defrenza, I., Cavalluzzi, M.M., Franchini, C.  
An improved synthesis of m-Hydroxymexiletine, a potent mexiletine metabolite  
(2012) Drug Metabolism Letters, 6 (2), pp. 124-128. Cited 9 times.  
DOI: 10.2174/187231212804096691  
DOCUMENT TYPE: Article
- 44) Desaphy, J.-F., Dipalma, A., Costanza, T., Carbonara, R., Dinardo, M.M., Catalano, A., Carocci, A.,  
Lentini, G., Franchini, C., Camerino, D.C.  
Molecular insights into the local anesthetic receptor within voltage-gated sodium channels using  
hydroxylated analogs of mexiletine  
(2012) Frontiers in Pharmacology, 3 FEB, art. no. Article 17, . Cited 28 times.  
DOI: 10.3389/fphar.2012.00017  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 45) Lentini, G.  
Shouldn't enantiomeric purity be included in the 'minimum information about a bioactive entity'?  
(2012) Nature Reviews Drug Discovery, 11 (9), p. 730.  
DOI: 10.1038/nrd3503-c1  
DOCUMENT TYPE: Letter  
ACCESS TYPE: Open Access
- 46) Roselli, M., Lentini, G., Habtemariam, S.  
Phytochemical, antioxidant and anti- $\alpha$ -glucosidase activity evaluations of *Bergenia cordifolia*  
(2012) Phytotherapy Research, 26 (6), pp. 908-914. Cited 40 times.  
<https://www.scopus.com/inward/record.uri?eid=2-s2.0->  
DOI: 10.1002/ptr.3655  
DOCUMENT TYPE: Article
- 47) Maggi, S., Chita, G., Bruno, C., Lovece, A., Lentini, G.  
Crystal structure of *N*-(2-{(2*E*)-3-(4-chlorophenyl)-2-propenyl}-(methyl ammonio)methylphenyl)-*N*-(2-  
hydroxyethyl)-4-methoxybenzenesulfonamide dihydrogen phosphate-methanol (1:1)  
(2012) Zeitschrift für Kristallographie - New Crystal Structures, 227 (2), pp. 220-222. Cited 1 time.  
DOI: 10.1524/ncrs.2012.0100  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 48) Catalano, A., Desaphy, J.-F., Lentini, G., Carocci, A., Di Mola, A., Bruno, C., Carbonara, R., De  
Palma, A., Budriesi, R., Ghelardini, C., Perrone, M.G., Colabufo, N.A., Conte Camerino, D., Franchini, C.  
Synthesis and toxicopharmacological evaluation of m-Hydroxymexiletine, the first metabolite of  
mexiletine more potent than the parent compound on voltage-gated sodium channels  
(2012) Journal of Medicinal Chemistry, 55 (3), pp. 1418-1422. Cited 21 times.  
DOI: 10.1021/jm201197z  
DOCUMENT TYPE: Article

- 49) Catalano, A., Carocci, A., Lentini, G., Di Mola, A., Bruno, C., Franchini, C.  
Facile routes for the preparation of 3,4-disubstituted 1,3-oxazolidines and 1,2,5-trisubstituted imidazolidin-4-ones  
(2011) *Journal of Heterocyclic Chemistry*, 48 (2), pp. 261-266. Cited 2 times.  
DOI: 10.1002/jhet.536  
DOCUMENT TYPE: Article
- 50) Bruno, C., Lentini, G., Catalano, A., Carocci, A., Lovece, A., Di Mola, A., Cavalluzzi, M.M., Tortorella, P., Loiodice, F., Iaccarino, G., Campiglia, P., Novellino, E., Franchini, C.  
Microwave-assisted synthesis of KN-93, a potent and selective inhibitor of Ca<sup>2+</sup>/calmoduline-dependent protein kinase II  
(2010) *Synthesis*, (24), art. no. T14310SS, pp. 4193-4198. Cited 6 times.  
DOI: 10.1055/s-0030-1258298  
DOCUMENT TYPE: Article
- 51) Cavalluzzi, M.M., Lentini, G., Lovece, A., Bruno, C., Catalano, A., Carocci, A., Franchini, C.  
First synthesis and full characterization of mexiletine N-carboxyloxy  $\beta$ -d-glucuronide  
(2010) *Tetrahedron Letters*, 51 (40), pp. 5265-5268. Cited 11 times.  
DOI: 10.1016/j.tetlet.2010.07.150  
DOCUMENT TYPE: Article
- 52) Carocci, A., Catalano, A., Lovece, A., Lentini, G., Duranti, A., Lucini, V., Pannacci, M., Scaglione, F., Franchini, C.  
Design, synthesis, and pharmacological effects of structurally simple ligands for MT<sub>1</sub> and MT<sub>2</sub> melatonin receptors  
(2010) *Bioorganic and Medicinal Chemistry*, 18 (17), pp. 6496-6511. Cited 20 times.  
DOI: 10.1016/j.bmc.2010.06.100  
DOCUMENT TYPE: Article
- 53) Pascale, R., Carocci, A., Catalano, A., Lentini, G., Spagnoletta, A., Cavalluzzi, M.M., De Santis, F., De Palma, A., Scalera, V., Franchini, C.  
New *N*-(phenoxydecyl)phthalimide derivatives displaying potent inhibition activity towards  $\alpha$ -glucosidase  
(2010) *Bioorganic and Medicinal Chemistry*, 18 (16), pp. 5903-5914. Cited 25 times.  
DOI: 10.1016/j.bmc.2010.06.088  
DOCUMENT TYPE: Article
- 54) Catalano, A., Carocci, A., Cavalluzzi, M.M., Di Mola, A., Lentini, G., Lovece, A., Dipalma, A., Costanza, T., Desaphy, J.-F., Camerino, D.C., Franchini, C.  
Hydroxylated analogs of mexiletine as tools for structural-requirements investigation of the sodium channel blocking activity  
(2010) *Archiv der Pharmazie*, 343 (6), pp. 325-332. Cited 13 times.  
DOI: 10.1002/ardp.200900218  
DOCUMENT TYPE: Article
- 55) Carocci, A., Lentini, G., Catalano, A., Cavalluzzi, M.M., Bruno, C., Muraglia, M., Colabufo, N.A., Galeotti, N., Corbo, F., Matucci, R., Ghelardini, C., Franchini, C.  
Chiral aryloxyalkylamines: Selective 5-HT<sub>1B/1D</sub> activation and analgesic activity  
(2010) *ChemMedChem*, 5 (5), pp. 696-704. Cited 10 times.  
DOI: 10.1002/cmdc.200900530  
DOCUMENT TYPE: Article



56) Carocci, A., Catalano, A., Bruno, C., Lentini, G., Franchini, C., De Bellis, M., De Luca, A., Camerino, D.C.

Synthesis and in vitro sodium channel blocking activity evaluation of novel homochiral mexiletine analogs (2010) *Chirality*, 22 (3), pp. 299-307. Cited 18 times.

DOI: 10.1002/chir.20741

DOCUMENT TYPE: Article

57) Desaphy, J.-F., Dipalma, A., Costanza, T., Bruno, C., Lentini, G., Franchini, C., George, A.L., Conte Camerino, D.

Molecular determinants of state-dependent block of voltage-gated sodium channels by pilsicainide (2010) *British Journal of Pharmacology*, 160 (6), pp. 1521-1533. Cited 12 times.

DOI: 10.1111/j.1476-5381.2010.00816.x

DOCUMENT TYPE: Article

ACCESS TYPE: Open Access

58) Carta, V., Catalano, A., Ferappi, M., Lentini, G., Palluotto, F., Tortorella, P., Tortorella, V. 55642016000;7006647341;6602146706;7004070916;6602831916;6602525753;7005195217;

An update of multiple choice questions (MCQs): The sequential multiple choice questions (SMCQs) (2009) *Pharmacy Education*, 9 (1), pp. 29-32.

DOCUMENT TYPE: Article

59) Cavalluzzi, M.M., Bruno, C., Lentini, G., Lovece, A., Catalano, A., Carocci, A., Franchini, C.

One-step synthesis of homochiral O-aryl and O-heteroaryl mandelic acids and their use as efficient 1H NMR chiral solvating agents

(2009) *Tetrahedron Asymmetry*, 20 (17), pp. 1984-1991. Cited 26 times.

DOI: 10.1016/j.tetasy.2009.08.002

DOCUMENT TYPE: Article

60) Bruno, C., Catalano, A., Lentini, G., Carocci, A., Franchini, C., Tortorella, V.

22956802100;7006647341;7004070916;6506029174;7004508438;7005195217;

Facile entry to ethyl tetrahydro-1H-pyrrolizin-7a(5H)-ylacetate: A versatile pharmaceutical intermediate (2008) *Heterocycles*, 75 (9), pp. 2193-2200. Cited 9 times.

DOI: 10.3987/COM-08-11369

DOCUMENT TYPE: Article

61) Cavalluzzi, M.M., Catalano, A., Bruno, C., Lovece, A., Carocci, A., Corbo, F., Franchini, C., Lentini, G., Tortorella, V.

Synthesis of (*R*)-, (*S*)-, and (*RS*)-hydroxymethylmexiletine, one of the major metabolites of mexiletine (2007) *Tetrahedron Asymmetry*, 18 (20), pp. 2409-2417. Cited 29 times.

DOI: 10.1016/j.tetasy.2007.10.002

DOCUMENT TYPE: Article

62) Bruno, C., Catalano, A., Desaphy, J.-F., Cavalluzzi, M.M., Carocci, A., Dipalma, A., Franchini, C., Lentini, G., Camerino, D.C., Tortorella, V.

Pilsicainide and its oxymethylene analog: Facile alternative syntheses and in vitro testing on human skeletal muscle sodium channels

(2007) *Heterocycles*, 71 (9), pp. 2011-2026. Cited 2 times.

DOCUMENT TYPE: Article

- 63) Corbo, F., Franchini, C., Lentini, G., Muraglia, M., Ghelardini, C., Matucci, R., Galeotti, N., Vivoli, E., Tortorella, V.  
Synthesis and biological evaluation of chiral  $\alpha$ -aminoanilides with central antinociceptive activity  
(2007) *Journal of Medicinal Chemistry*, 50 (8), pp. 1907-1915. Cited 7 times.  
DOI: 10.1021/jm061078e  
DOCUMENT TYPE: Article
- 64) De Bellis, M., De Luca, A., Rana, F., Cavalluzzi, M.M., Catalano, A., Lentini, G., Franchini, C., Tortorella, V., Conte Camerino, D.  
Evaluation of the pharmacological activity of the major mexiletine metabolites on skeletal muscle sodium currents  
(2006) *British Journal of Pharmacology*, 149 (3), pp. 300-310. Cited 20 times.  
DOI: 10.1038/sj.bjp.0706867  
DOCUMENT TYPE: Article
- 65) Bruno, C., Carocci, A., Catalano, A., Cavalluzzi, M.M., Corbo, F., Franchini, C., Lentini, G., Tortorella, V.  
Facile, alternative route to lubeluzole, its enantiomer, and the racemate  
(2006) *Chirality*, 18 (4), pp. 227-231. Cited 20 times.  
DOI: 10.1002/chir.20240  
DOCUMENT TYPE: Article
- 66) Catalano, A., Carocci, A., Fracchiolla, G., Franchini, C., Lentini, G., Tortorella, V., De Luca, A., De Bellis, M., Desaphy, J.-F., Conte Camerino, D.  
Erratum: Stereospecific synthesis of "para-hydroxymexiletine" and sodium channel blocking activity evaluation (*Chirality* (2004) 16 (72-78))  
(2005) *Chirality*, 17 (5), p. 297.  
DOI: 10.1002/chir.20174  
DOCUMENT TYPE: Erratum
- 67) Franchini, C., Carocci, A., Catalano, A., Cavalluzzi, M.M., Corbo, F., Lentini, G., Scilimati, A., Tortorella, P., Camerino, D.C., De Luca, A.  
Erratum: Optically active mexiletine analogues as stereo-selective blockers of voltage-gated Na<sup>+</sup> channels (*Journal of Medicinal Chemistry* (2003) 46 (5241))  
(2005) *Journal of Medicinal Chemistry*, 48 (8), p. 3094.  
DOI: 10.1021/jm0580048  
DOCUMENT TYPE: Erratum  
ACCESS TYPE: Open Access
- 68) De Luca, A., Pierno, S., Liantonio, A., Desaphy, J.-F., Natuzzi, F., Didonna, M.P., Ferrannini, E., Jockusch, H., Franchini, C., Lentini, G., Corbo, F., Tortorella, V., Conte Camerino, D.  
New potent mexiletine and tocainide analogues evaluated in vivo and in vitro as antimyotonic agents on the myotonic ADR mouse  
(2004) *Neuromuscular Disorders*, 14 (7), pp. 405-416. Cited 17 times.  
DOI: 10.1016/j.nmd.2004.04.006  
DOCUMENT TYPE: Article

- 69) Catalano, A., Carocci, A., Fracchiolla, G., Franchini, C., Lentini, G., Tortorella, V., De Luca, A., De Bellis, M., Desaphy, J.-F., Conte Camerino, D.  
Stereospecific Synthesis of "para-Hydroxymexiletine" and Sodium Channel Blocking Activity Evaluation  
(2004) *Chirality*, 16 (2), pp. 72-78. Cited 22 times.  
DOI: 10.1002/chir.10307  
DOCUMENT TYPE: Article
- 70) Carbonara, G., Carocci, A., Fracchiolla, G., Franchini, C., Lentini, G., Loiodice, F., Tortorella, P.  
<sup>1</sup>H-NMR determination of the enantiomeric excess of the antiarrhythmic drug Mexiletine by using  
mandelic acid analogues as chiral solvating agents  
(2004) *Arkivoc*, 2004 (5), pp. 5-25. Cited 6 times.  
DOCUMENT TYPE: Article
- 71) Franchini, C., Carocci, A., Catalano, A., Cavalluzzi, M.M., Corbo, F., Lentini, G., Scilimati, A.,  
Tortorella, P., Camerino, D.C., De Luca, A.  
Optically Active Mexiletine Analogues as Stereoselective Blockers of Voltage-Gated Na<sup>+</sup> Channels  
(2003) *Journal of Medicinal Chemistry*, 46 (24), pp. 5238-5248. Cited 44 times.  
DOI: 10.1021/jm030865y  
DOCUMENT TYPE: Article
- 72) De Luca, A., Talon, S., De Bellis, M., Desaphy, J.-F., Lentini, G., Corbo, F., Scilimati, A., Franchini,  
C., Tortorella, V., Conte Camerino, D.  
Optimal requirements for high affinity and use-dependent block of skeletal muscle sodium channel by N-  
benzyl analogs of tocainide-like compounds  
(2003) *Molecular Pharmacology*, 64 (4), pp. 932-945. Cited 24 times.  
DOI: 10.1124/mol.64.4.932  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access
- 73) Lentini, G.  
Trivial, common, and systematic chemical names [3]  
(2003) *Journal of Chemical Education*, 80 (5), p. 487.  
DOCUMENT TYPE: Letter  
PUBLICATION STAGE: Final
- 74) De Luca, A., Talon, S., De Bellis, M., Desaphy, J.-F., Franchini, C., Lentini, G., Catalano, A., Corbo,  
F., Tortorella, V., Conte-Camerino, D.  
Inhibition of skeletal muscle sodium currents by mexiletine analogues: Specific hydrophobic interactions  
rather than lipophilia per se account for drug therapeutic profile  
(2003) *Naunyn-Schmiedeberg's Archives of Pharmacology*, 367 (3), pp. 318-327. Cited 20 times.  
DOI: 10.1007/s00210-002-0669-0  
DOCUMENT TYPE: Article
- 75) Talon, S., De Luca, A., De Bellis, M., Desaphy, J.-F., Lentini, G., Scilimati, A., Corbo, F., Franchini,  
C., Tortorella, P., Jockusch, H., Conte Camerino, D.  
Increased rigidity of the chiral centre of tocainide favours stereoselectivity and use-dependent block of  
skeletal muscle Na<sup>+</sup> channels enhancing the antimyotonic activity in vivo  
(2001) *British Journal of Pharmacology*, 134 (7), pp. 1523-1531. Cited 14 times.  
DOI: 10.1038/sj.bjp.0704366  
DOCUMENT TYPE: Article  
ACCESS TYPE: Open Access

76) Franchini, C., Corbo, F., Lentini, G., Bruno, G., Scilimati, A., Tortorella, V., Camerino, D.C., De Luca, A.

Synthesis of new 2,6-prolylxylylidide analogues of tocainide as stereoselective blockers of voltage-gated Na<sup>+</sup> channels with increased potency and improved use-dependent activity  
(2000) *Journal of Medicinal Chemistry*, 43 (20), pp. 3792-3798. Cited 18 times.

DOI: 10.1021/jm0009311

DOCUMENT TYPE: Article

77) Carocci, A., Catalano, A., Corbo, F., Duranti, A., Amoroso, R., Franchini, C., Lentini, G., Tortorella, V.

Stereospecific synthesis of mexiletine and related compounds: Mitsunobu versus Williamson reaction  
(2000) *Tetrahedron Asymmetry*, 11 (17), pp. 3619-3634. Cited 42 times.

DOI: 10.1016/S0957-4166(00)00332-3

DOCUMENT TYPE: Article

78) Carocci, A., Franchini, C., Lentini, G., Loiodice, F., Tortorella, V.

6506029174;7004508438;7004070916;6603702557;7005195217;

Facile entry to (-)-(R)- and (+)-(S)-mexiletine

(2000) *Chirality*, 12 (3), pp. 103-106. Cited 27 times.

DOI: 10.1002/(SICI)1520-636X(2000)12:3<103::AID-CHIR1>3.0.CO;2-X

DOCUMENT TYPE: Article

79) De Luca, A., Natuzzi, F., Desaphy, J.-F., Loni, G., Lentini, G., Franchini, C., Tortorella, V., Camerino, D.C.

Molecular determinants of mexiletine structure for potent and use-dependent block of skeletal muscle sodium channels

(2000) *Molecular Pharmacology*, 57 (2), pp. 268-277. Cited 53 times.

DOCUMENT TYPE: Article

80) Duranti, A., Franchini, C., Lentini, G., Loiodice, F., Tortorella, V., De Luca, A., Pierno, S., Conte Camerino, D.

Homologation of mexiletine alkyl chain and stereoselective blockade of skeletal muscle sodium channels  
(2000) *European Journal of Medicinal Chemistry*, 35 (1), pp. 147-156. Cited 8 times.

DOI: 10.1016/S0223-5234(00)00115-X

DOCUMENT TYPE: Article

81) Desaphy, J.-F., Camerino, D.C., Franchini, C., Lentini, G., Tortorella, V., De Luca, A.

Increased hindrance on the chiral carbon atom of mexiletine enhances the block of rat skeletal muscle Na<sup>+</sup> channels in a model of myotonia induced by ATX

(1999) *British Journal of Pharmacology*, 128 (6), pp. 1165-1174. Cited 14 times.

DOI: 10.1038/sj.bjp.0702901

DOCUMENT TYPE: Article

PUBLICATION STAGE: Final

82) Duranti, A., Franchini, C., Lentini, G., Sinicropi, M.S.

Contribution to the study of 2-aryloxy-1-phenyl- and 2-aryloxy-2-phenylethanols. Differentiation by mass spectrometry

(1998) *Journal of Mass Spectrometry*, 33 (5), pp. 486-487. Cited 2 times.

DOI: 10.1002/(SICI)1096-9888(199805)33:5<486::AID-JMS658>3.0.CO;2-H

DOCUMENT TYPE: Letter

- 83) De Luca, A., Pierno, S., Natuzzi, F., Franchini, C., Duranti, A., Lentini, G., Tortorella, V., Jockusch, H., Conte Camerino, D.  
Evaluation of the antimyotonic activity of mexiletine and some new analogs on sodium currents of single muscle fibers and on the abnormal excitability of the myotonic ADR mouse  
(1997) *Journal of Pharmacology and Experimental Therapeutics*, 282 (1), pp. 93-100. Cited 35 times.  
DOCUMENT TYPE: Article
- 84) De Luca, A., Natuzzi, F., Falcone, G., Duranti, A., Lentini, G., Franchini, C., Tortorella, V., Conte Camerino, D.  
Inhibition of frog skeletal muscle sodium channels by newly synthesized chiral derivatives of mexiletine and tocainide  
(1997) *Naunyn-Schmiedeberg's Archives of Pharmacology*, 356 (6), pp. 777-787. Cited 35 times.  
DOI: 10.1007/PL00005118  
DOCUMENT TYPE: Article
- 85) De Luca, A., Natuzzi, F., Lentini, G., Franchini, C., Tortorella, V., Conte Camerino, D.  
Stereoselective effects of mexiletine enantiomers on sodium currents and excitability characteristics of adult skeletal muscle fibers  
(1995) *Naunyn-Schmiedeberg's Archives of Pharmacology*, 352 (6), pp. 653-661. Cited 38 times.  
DOI: 10.1007/BF00171325  
DOCUMENT TYPE: Article
- 86) Franchini, C., Cellucci, C., Corbo, F., Lentini, G., Scilimati, A., Tortorella, V., Stasi, F.  
Stereospecific synthesis and absolute configuration of mexiletine  
(1994) *Chirality*, 6 (7), pp. 590-595. Cited 29 times.  
DOI: 10.1002/chir.530060713  
DOCUMENT TYPE: Article
- 87) Franchini, C., Noja, F.C., Corbo, F., Lentini, G., Tortorella, V., Bartolini, A., Ghelardini, C., Matucci, R., Giotti, A.  
Stereoselectivity in central analgesic action of tocainide and its analogs  
(1993) *Chirality*, 5 (3), pp. 135-142. Cited 10 times.  
DOI: 10.1002/chir.530050306  
DOCUMENT TYPE: Article
- 88) Bartolini, A., Corbo, F., Franchini, C., Ghelardini, C., Giotti, A., Lentini, G., Matucci, R., Tortorella, V.  
Pharmacological differences between R(-) and S(+) tocainide  
(1992) *Pharmacological Research*, 26 (SUPPL. 1), p. 91. Cited 1 time.  
DOI: 10.1016/1043-6618(92)90892-F  
DOCUMENT TYPE: Article
- 89) Tricarico, D., Franchini, C., Lentini, G., Conte Camerino, D., Tortorella, V., Rüdell, R.  
7003562407;7004508438;7004070916;7005038891;7005195217;55611111800;  
The effects of tocainide and its chiral analogs on sodium channels of human muscle  
(1990) *Pharmacological Research*, 22 (SUPPL. 1), pp. 95-96. Cited 1 time.  
DOI: 10.1016/1043-6618(90)90825-X  
DOCUMENT TYPE: Article